

OUTDOOR GARDEN TOOLS

Authorised Suppliers



Naik's
Springfield



**India's Favourite
Lawn Mower Since 1964**

Quality Garden Tools & Agriculture Equipments



09822029752




www.naiksspringfield.com



springfieldnaik@gmail.com

With 50+ products in the
maxgreen line up, for your every need,

Ace Every Garden with Ease



Home Gardens, Landscapes to Athletic Fields.



Naik's
Springfield



09822029752



www.naiksspringfield.com



springfieldnaik@gmail.com

What Makes Us Unique?

Making safety a priority, Maxgreen lawn mowers comes equipped with **IMPT** (*intelligent motor protection technology*), which cuts-off power when overheated.



In regard to after-sales difficulties, we have made sure that the spare parts are readily and easily available.



Service support is an important part of our relationship with our clients, which is why we have developed a vast network of local service providers.

Experience is What Makes the Difference

We sell

10,000+

lawn mowers, annually

Serving

200+

Clients ranging from
private companies to
government institutions.

Our Cylindrical
Reel Mower is the
**highest-selling
product in its
category in India
for the past
40 years.**



MAXGREEN

L A W N MOWER **MANUAL**
SIDE WHEEL

MSW 12-14-16-18



- Cutting Cylinder** : 5 blade cutting cylinder of high carbon steel runs on double ball bearings
- Bottom blade** : Specially angled heavy bottom blade for smooth cutting
- Frame** : High grade cast iron heavy duty frame
- Wheels** : Cast iron wheels of 8" diameter big with solid rubber tyres
- Cutting height** : Can be adjust from 1/4" to 3"

MAXGREEN

L A W N MOWER **ELECTRIC**

MRE 15



- Power** : 1600watt
- Motor Type** : Copper Winding
- Cutting width** : 15"
- Weight** : 18kg.
- Cutting Height Adjustment** : Centre Adjustment 25-75 mm
- Grass Collector** : 50liter
- Electric Cable** : 100 ft meter ISI Marked PVC 1.5x3 Core insulated, with detachable socket
- Deck** : Plastic
- Ideal for Lawn Area** : up to 5000sq.ft.

MAXGREEN

L A W N MOWER **ELECTRIC**

MRE 13



- Power** : 1200watt
- Motor Type** : Copper Winding
- Cutting width** : 13"
- Weight** : 10kg.
- Cutting Height Adjustment** : 3 stage 22-61 mm
- Grass Collector** : 30liter
- Electric Cable** : 100 ft ISI Marked PVC 1.5X3 Core insulated, with detachable socket
- Deck** : Plastic
- Ideal for Lawn Area** : up to 3000sq.ft.

MAXGREEN

L A W N MOWER **ELECTRIC**

MRE 16



- Power** : 1800 watt (2.5 hp)
- Motor Type** : Copper Winding
- Cutting width** : 16"
- Weight** : 25kg.
- Cutting Height Adjustment** : Centre Adjustment 25-75 mm
- Grass Collector** : 50liter
- Electric Cable** : 100 ft meter ISI Marked PVC 1.5x3 Core insulated with detachable socket
- Deck** : Metal
- Ideal for Lawn Area** : 6,000 to 12,000sq.ft.
- MRE16** comes with MAXGREEN's **IMPT** system (Intelligent motor protection technology) which reduces motor damage by 80% compared to other lawn mowers.

MAXGREEN

**L A W N
MOWER** **ELECTRIC**



MRE 18

Power	: 2500watt/3 HP
Weight	: 30kg.
Motor Type	: Copper Winding
Cutting Height Adjustment	: Centre Adjustment 12-100 mm
Grass Collector	: 50liter
Electric Cable	: 100 ft ISI Marked PVC 2.5x3 Core insulated, with detachable socket
Deck	: Steel
Ideal for Lawn Area	: 13,000 to 25,000 sq.ft.
Cutting Width	: 45 cm (18")

MRE18 comes with MAXGREEN's **IMPT** system (Intelligent motor protection technology) which reduces motor damage by 80% compared to other lawn mowers.

Also Available with 3 Phase Motor.

MAXGREEN

L A W N **SIDE**
MOWER **DISCHARGE**



MRESD

Power	: 1500watt/3 HP
Blade Size	: 18"/24"
Weight	: 32/35kg.
Motor	: 2HP/3HP, TEFC Motor
Cutting Height Adjustment	: Centre Adjustment 12-100 mm
Grass Collector	: Not required
Electric Cable	: 100 ft ISI Marked PVC 3Core insulated, with detachable socket
Deck	: Metal deck heavy duty
Ideal for Lawn Area	: up to 35,000 sq.ft.

MAXGREEN

L A W N **ELECTRIC**
MOWER

MRE 21



Power	: 2500watt/3 HP
Motor Type	: Copper Winding
Weight	: 33kg.
Cutting Height Adjustment	: Centre Adjustment 12-100 mm
Grass Collector	: 60liter
Electric Cable	: 100 ft ISI, PVC 2.5x3 Core insulated, with detachable socket
Deck	: Steel
Ideal for Lawn Area	: 26,000 to 40,000 sq.ft.
Cutting width	: 52 cm (21")

MRE21 comes with **IMPT** system

Also Available with 3 Phase Motor.

MAXGREEN

L A W N **ELECTRIC**
MOWER

MRE MAXX 18-21



Power	: 2 HP / 3 HP, TEFC Motor
Blade Size	: 18" / 21"
Weight	: 34kg.
Cutting Height Adjustment	: Centre Adjustment 12-100 mm
Grass Collector	: 60liter
Electric Cable	: 100 ft ISI Marked 3Core insulated, with detachable socket
Deck	: Metal deck with heavy duty
Ideal Lawn Area	: up to 45,000 sq.ft.

Also Available with 3 Phase Motor.

MAXGREEN

**L A W N
MOWER** **PETROL**

MRP 19 SPAL



Power : 4.8HP Honda GX160 Engine
Cutting Height : 12-100mm
Grass Collector : 60 Liters
Deck (Body) : Aluminum
Ideal for lawn area : 25,000 to 55,000 sqft.
Cutting Width : 48CM (19")

Available in Swing blade for carpet / Korean / Mexican Lawn

MAXGREEN

**L A W N
MOWER** **PETROL**

MRP 18-21



Power : 4.8 HP
Deck : **Powder coating steel deck**
Cutting size : 18" and 21"
Drive : Push
Grass collector : 60 liter of plastic
Cutting height : Adjustment with single lever of all four wheels from 12 mm to 100 mm (1/2" to 4")
Cutting width : 45 cm (18"), 52 cm (21")

MAXGREEN

**L A W N
MOWER** **CYLINDER
ROLLER
TYPE**

MRE 19 SPAL




Power : 2500Watt/ 3 HP
Weight : 40 to 45 kg
Motor type : Copper winding
Cutting Height : 12-100mm
Grass Collector : 60 Liters
Electric Cable : 100 ft. ISI Marked PVC 2.5 X3 Core Insulated With Detachable Socket
Deck (Body) : Aluminum
Ideal for lawn area : 15,000 to 30,000 sqft.
Cutting Width : 48CM (19")

MRE 19" comes with IMPT system (Intelligent motor protection technology) which reduces motor damage by 80% compared to other lawn mowers. Also Available with 3 phase motor
Available in Swing blade for carpet / Korean / Mexican Lawn

MAXGREEN

**L A W N
MOWER** **CYLINDER
ROLLER
TYPE**

MCE 14-18-24-30



Cutting width :
14 35 cm (14") Motor **1 H.P.**
18 45 cm (18") Motor **1.5 H.P.**
24 60 cm (24") Motor **2 H.P.**
30 76 cm (30") Motor **3 HP**

Frame : Made of special steel heavy gauge
Transmission : Sprocket & chain type
Cutting cylinder : Six blades cylinder of temper high carbon steel
Bottom blade : Heavy duty special lipped edge of high carbon steel
Rollers : Cast iron heavy nonskid roller rear & front roller of steel with ball bearings.
Cutting height : Can be adjustable from 1/2" to 4"
Drive : Self-propelled (fully automatic)
Electric cable : 3 core ISI mark PVC insulated (100 ft)

MAXGREEN

LAWN
MOWER **PETROL**

MCP 18-24-30

Cutting width :
18 45 cm (18")
24 60 cm (24")
30 75 cm (30")



Power	: 4.8 HP 180 CC
Transmission	: Sprocket & chain type
Cutting cylinder	: Six blades cylinder of temper high carbon steel
Bottom blade	: Heavy duty special lipped edge of high carbon steel
Cutting height	: Can be adjustable from 1/2" to 4"
Drive	: Self-propelled (fully automatic)
Engine	: HONDA Petrol engine.

MAXGREEN

LAWN
MOWER **PETROL**

MCP 30 RIDE ON



Power	: 5.5 HP 200 CC
Transmission	: Sprocket & chain type
Cutting cylinder	: Six blades cylinder of temper high carbon steel
Bottom blade	: Heavy duty special lipped edge of high carbon steel
Cutting height	: Can be adjustable from 1/2" to 4"
Drive	: Self-propelled (fully automatic)
Engine	: HONDA Petrol engine.



MAXGREEN

PETROL RIDE

MPRO 30

Fuel tank	: 4.2L
Power	: 15 HP
Engine	: Loncin Engine
Blade size	: 30 inches (75 cms)
Cutting height	: 20 mm - 100 mm
Starting system	: Electric start
Stopping system	: Handle
Total displacement	: 344CC
Drive	: Heavy duty belt drive
Transmission	: Forward 5 speed (Max speed 5-10 km/h) Reverse 1 speed (Max speed 5 km/h)
Discharging method	: Bagger
Tyre	: 10" front wheels and 15" rear wheels
Mower size	: 1550*850*1150mm
Grass bagger collector	: 170 liters
Weight	: 180 kgs



MAXGREEN

PETROL RIDE

MPRO 40 ECO

Engine	: B&S 17.5 HP, 500cc
Blade	: 102 CM(40" Inch Twin blade)
Cutting Height Adjustment	: 25mm to 100mm
Weight	: 240 kgs.
Grass Collector	: 300 ltr.
Ignition	: Ignition start
Fuel Tank	: 4 Ltr.
Transmission	: Hydro Gear.
Forward speed	: 0 to 10 KMPH.
Reverse Speed	: 0 to 5 KMPH.
Tyre Size front	: 15 Inch.
Tyre size Rear	: 18 Inch.
Warranty	: 6 Months

NEW!



MAXGREEN ELECTRIC LAWN MOWER MRE 19 ALP

Deck : Aluminum Heavy Duty (4mm thick)
Cutting Size: 48 Cm- 19"
Cutting Height: 8 Stages 12 To 100 Mm
Power: 2500 W / 3 Hp [single Phase or 3 Phase]
Drive: Push Type
Wheel Size: 8" Front & 8" Back
Grass Collector: 60 Liter Of Nylon Fabric
Nett Weight: 36Kg / Gross - 42Kg
Available with special swing blades for carpet or korean lawn

NEW!

MAXGREEN PETROL LAWN MOWER MRP 19 ALP

Deck : Aluminum Heavy Duty (4mm thick)
Cutting Size: 48 Cm- 19"
Cutting Height: 8 Stages 12 To 100 Mm
Power: 4.5Hp [Honda Petrol engine]
Drive: Push Type
Wheel Size: 8" Front & 8" Back
Grass Collector: 60 Liter Of Nylon Fabric
Nett Weight: 39Kg / Gross - 45Kg
Available with special swing blades for carpet or korean lawn





MAXGREEN

LOPPER

MTLOOP

Cutting capacity	: 55mm (2.1 inches)
Cutting blade	: 4.5 mm thickness high carbon steel
Support Blade	: Serrated Aluminium Anvil
Handle grip	: Soft sweat resistant PVC grip
Cutting height without extension	: 67.3 cms
Cutting height with extension	: 102 cms

MAXGREEN

SNAKE CATCHER

MSC



Weight : 1.3 kg

Length : 5'

Handle : Made of square tube of aluminum with PVC grip An ideal and safe instrument for user & snake both.



MAXGREEN

TELESCOPIC TREE PRUNER

MTTP

Total working height 20'
Available with 4" Saw blade.
Cutting capacity : 1.5"



MAXGREEN

LEAF BLOWER & VACUUM

ELECTRIC



MEBV

Power	: 2400watt/230v
Collection bag	: 40 liter
Max Air Flow	: 160-270 km/hour
Max blowing volume	: 13.2 CBM/minute
Weight	: 3.5kg.
Electric Cable	: 3 core ISI marked PVC insulated (30meter)

MAXGREEN

BRUSH CUTTER

ELECTRIC

MEBC

Power	: 1400 watt
Weight	: 5 kgs
Electric cable	: 20 meter

Available with nylon **thread** attachment and steel **blade**.



MAXGREEN

HEDGE SHEARS

MHS 10 S

Cutting blade length	: 10 inches
Cutting blade thickness	: 4 mm
Blade material	: High grade carbon steel with Teflon coating for extra smooth operation
Support blade	: Carbon steel with chrome plating
Blade design	: Special saw-toothed design increases the life of the cutting blade and it is self sharpening
Handle grip	: PVC sweat resistant grip for safe and hassle free operation
Handle material	: Specially polished high quality oakwood handle



MHS ECO 10 PS

Blade Length	: 254mm
Total Length	: 508mm
Blade Thickness	: 391mm
Blade Hardness	: 56+/-2HRC 65Mn Carbon steel
Handle	: plastic orange

MAXGREEN

SECATEURS

SIDE SHEARING

MSSS

Length	: 225mm
Blades	: High carbon steel thick gauge
Cutting capacity	: 14mm
Handle	: all steel with nonskid plastic grip with safety lock



MAXGREEN

SECATEURS

ROLL CUT

MSRC

Length	: 200mm	Cutting capacity	: 12mm
Blades	: Tempered blades hardened with brass	Handle	: solid steel with PVC grip with safety lock



MAXGREEN

CHAIN SAW | **PETROL POLE SAW**

MPPS

Engine	: 26cc 2 Stroke
Fuel	: 2T Oil & Petrol
Bar Length	: 12 Inch
Chain	: 12 Inch
Tank Capacity	: 600 ml
Working Length	: 15 Feet
Weight	: 9 kg



MAXGREEN

BRUSH CUTTER | **PETROL**


MPBC 2 stroke / 4 stroke

2 stroke

Displacement	: 52 CC
Power	: 2 HP
Engine type	: 2 Stroke
Start type	: Recoil
Weight	: 7 kg.

4 stroke

Displacement	: 35 CC
Power	: 1.4 HP
Engine type	: 4 Stroke
Start type	: Recoil
Weight	: 7 kg.



Available with nylon thread attachment, steel blade and circular saw Blade 60T
Also available back pack four stroke brush cutter.

MAXGREEN

PETROL AUGER

MPA 68

Power	: 68 cc / 2.2 KW
Engine type	: 2 stroke
Fuel tank	: 1.2 Liters
Bit diameter	: 80*150 mm
Driving mode	: Gear drive



MAXGREEN

CHAIN SAW | **ELECTRIC**

MECS

Power	: 2400 watt
Bar Size	: 16 inches
Cutting capacity	: 2 to 2.5 feet diameter
Electric cable	: 3 core ISI mark PVC insulated (100 ft)



MAXGREEN

CHAIN SAW | **PETROL**

MPCS 22

Displacement	: 58 CC
Guide bar length	: 22 Inches
Cutting capacity	: 3 to 3.5 feet diameter
Engine power	: 3.2 H.P.
Weight	: 8 kgs
Fuel tank	: 550 ml
Chain oil capacity	: 2.60 ml (Add to specs)
Engine type	: 2 stroke / air cooled / single cylinder



MAXGREEN

HEDGE TRIMMER | **ELECTRIC**

MEHT

Power	: 600 watt	Cable	: 20 meter
Blade size	: 60 cm (24")	Weight	: 4kg.



4 way adjustable handle for better maneuverability

MAXGREEN CHAFF CUTTER

MCC

Motor	:	2 Hp / 3 Hp
Rpm	:	1440 / 2800
Body	:	Steel
Blade Length	:	4.5 Inches
Cutting Capacity	:	800 - 1200 Kgs/hr



MAXGREEN

BRASS SPRINKLERS

MBSP

Brass sprinkler with Iron Stand,
Covering area : 40' Radius



MAXGREEN

Trolley

Body	:	MS
Capacity	:	150Kg



 **AMBICA**
Engineering Industries

Plot 9, Shayona Silver Estate Part 2, Nr. K.C.T. Laboratory,
B/h. Silver Oak Engg. College, Gota, Ahmedabad 382 481. Gujarat.

Customer Care No.: +91 8490018665

Dealership Inquiry No.: +91 84013 18665

Service No.: 7405058665

E-mail: sales@maxgreen.in

Web: www.maxgreen.in

MAXGREEN MINI TILLER

MCRT 52


Power	:	2.4 HP
Displacement	:	52 cc
Engine	:	2 stroke
Tilling Scope	:	300 mm
Tilling Depth	:	100 mm
Weight	:	16kg



MAXGREEN MINI TILLER

MCRT 208

Power	:	7 HP
Displacement	:	208 cc
Engine	:	4 stroke
Tilling Scope	:	1000 mm
Tilling Depth	:	100 - 150mm
Weight	:	16kg
Fuel Capacity	:	3.6L





Naik's
Springfield



09822029752



www.naiksspringfield.com



springfieldnaik@gmail.com

Authorised Suppliers